

LOOKING THROUGH THE LENS OF A CONSERVATION BIOLOGIST: LIFE OF MEDICINAL PLANTS IN THE EASTERN GHATS OF ANDHRA PRADESH, INDIA

Rishinaramadalam Sriramachandran SAI MURALI^{1,2},
Galakoti NAGESWARA RAO³, Ramaiah BASAVARAJU^{4*}

¹Department of Biosciences, Sri Sathya Sai Institute of Higher Learning, Prasanthi Nilayam, Andhra Pradesh, India

²Division of Research and Development, Lovely Professional University, Punjab, India

³Department of Chemistry, Sri Sathya Sai Institute of Higher Learning, Prasanthi, Nilayam, Andhra Pradesh, India

⁴Department f Biosciences, Sri Sathya Sai Institute of Higher Learning, Prasanthi Nilayam, Andhra Pradesh, India

Abstract

Plants have been used by people to fulfil their spiritual, cultural, emotional and materialistic needs. In quest of using plants, man has forgotten the implications of overexploitation of these resources. Hence the question of restoring the balance has long been intriguing the conservation biologists. In this review we focus on the struggle of medicinal plants in the Eastern Ghats (EGs) of Andhra Pradesh (AP) in the changing scenario of overexploitation and destruction of natural habitats. Here we concentrate on a sum total of 267 medicinal plant taxa from these regions with due emphasis on their utility as leading herbal medicines. Endemic flora and the threat status of medicinal plants from this area are highlighted in this paper. Andhra Pradesh, so far, has been successful in having one biosphere reserve, six national parks and twenty one wildlife sanctuaries with over 13,000 sq km of forest cover, but there have been no proper scientific studies undertaken till date to evaluate the working and maintenance of these protected areas. As EGs of AP have received less attention from the Government and NGOs, the analysis of past research reports in this review gives a clarion call for a much awaited coordinated effort for conservation and management of plants in these areas. Furthermore, we stress on having a formal system to monitor the local pockets of these hilly ranges for a better coordinated conservation mechanism. This review is a humble attempt to give a wakeup call to all the policy makers, managers and other government officials working with protected areas and forest departments. The diversity of medicinal flora, uses and conservation priorities of Eastern Ghats of Andhra Pradesh form the subject matter for this review.

Keywords: Medicinal Plants; Threat Status; Conservation; Ethnomedicine; Aboriginals; Eastern Ghats

Introduction

India is bestowed with rich forest endowment. Some of the most important forests of India are concentrated at various topogeographical levels in the Eastern Ghats. Right from West Bengal in the North, Orissa and Andhra Pradesh in the center, to Tamil Nadu in the South, Eastern Ghats are a series of discontinuous mountain ranges adjacent to Eastern coast of India [1]. The mountain ranges contain rich array of tropical forests (extensive terrestrial biome)

* Corresponding author: rbasavaraju@sssihl.edu.in

forming rich repositories of biological diversity [2-4]. More than 70,000 plant species have been used in traditional and modern medicine [5]. It is estimated that around 70 to 80% of human population depend on traditional herbal medicines of which majority being the tribal and village folk [2, 3, 6, 7]. Eastern Ghats of Andhra Pradesh comprise inhabitants of 33 Schedule Tribes [8]. Tens and thousands of these people have been using big chunk of plant products for their primary health care. Since the knowledge of these medicinal plants and their usage has been dwindling in the recent times due to rapid cultural and climatic changes [3, 9, 10], here in this article we present a comprehensive understanding of recent ethnomedicinal studies of Eastern Ghats of Andhra Pradesh that are relatively overlooked in the country.

Topogeography of Eastern Ghats of Andhra Pradesh

EGs of AP (Fig. 1) are geographically situated between 12°37' N and 19°54' N latitude and 76°46' E and 84°46' E longitude with highest hill tops at an altitude of 1300-1680m [8].




Fig. 1. Physical map of Eastern Ghats of Andhra Pradesh

Diversity of medicinal plants in the Eastern Ghats of Andhra Pradesh

Richness of endemic flora

EGs of AP are home to several endemic species. For instance *Crotalaria shevaroyensis* [11], *Decaschistia cuddapahensis*, *Cycas beddomei*, *Pimpinella tirupatiensis*, *Pterocarpus santalinus*, *Terminalia pallida*, *Syzygium alternifolium* and *Rhynchosia beddomei* are endemic to some pockets of EGs of AP [8, 12-14]. The plants *Peperomia dindigulensis*, *Vaccinium neilgherrense*, *Litsea oleoides*, *Neolitsea scrobiculata*, *Curcuma neilgherrensis*, *Shorea talura*, *S.tumbaggaia*, *Eranthemum capense*, *Dolichandra hamiltonii*, *Jasminum trichotomum*, *Ixora notoniane*, *Pavetta blanda*, *Psychotria octosulcata*, *Randia cンドolleana* and *Pamburus missionis* are some of the regionally available endemic plants of EGs of AP [4, 8, 11, 14]. These hilly ranges also harbor some medicinal plants that are endemic to South India viz. *Albizia thompsoni*, *Ceropegia spiralis*, *Cocculus hirsutus*, *Habenaria roxburghii*, *Phyllanthus indofischeri*, *Oryza granulata*, *O. Sativa* and *O. Malamphuzhaensis* [8, 12, 14].

Diversity in medicinal flora based on habit

Around 70 species of herbs, 50 species of shrubs, 100 species of trees, 7 species of epiphytes, parasites and hydrophytes, 40 species of climbers, twiners and vines, put together a sum total of 267 species are presented in Table 1 to 20 of this article.

Ethnomedicinal importance

Right from the inception of life, interdependence is the prime characteristic of organisms. It has been a beautiful saga of relationship that history has witnessed between man and plants [15-20]. The folk herbal usage of various medicinal plants of EGs of AP listed in Table 1 to 20 stands as testimony to this fact. Given the medicinal significance of plants in EGs, are we not overexploiting these resources? Are not these plants put to threat at various levels? Yes we are finding serious negative implications of loss of biodiversity in the recent times due to the over exploitation of medicinal plants.

Conservation

Is the situation so bad?

Our food and energy security and so does our exposure to natural endangerment depends on plant biodiversity. Biodiversity loss has got negative implications on our health, material wealth and largely limits our freedom of choice [5]. Excessive human usage of land and water contribute to 80% of threat to plant biodiversity [21]. To counter this situation, several thousands of protected forest areas [22] have been established and strict legislations are already in place to conserve the regional biodiversity, but ironically the rate of deforestation continues unabated both within and without the protected areas in tropical forests; questioning the effectiveness of conservation strategies [4, 11, 23]. Habitat degradation and destruction in many parts of EGs have been assessed by various authors and found EGs are most neglected regions in India [10, 11, 24]. There are about 14 protected areas encompassing 15% of the land area which is threatened due to increasing demands of herbal industry and local inhabitants. On one hand, places like Gudem Maripakhala Sanctuary that has been seriously threatened due to slash and burn cultivation while on the other hand Srisailam Nagarjuna Sagar Tiger Reserve Forest with least threat show disproportionate conservation mechanisms [4].

More than just indicators: Threat status of medicinal plants in the Eastern Ghats of Andhra Pradesh

Medicinal plant genetic resources (MPGRs) are fast depleting on global and regional scales [5, 25, 26]. Eastern Ghats without any exception fall under the category of worst hit. Threat status of MPGRs of EGs is given in Table 1. These are some of the illustrations to indicate the predicament of some potentially unattended rare species that have been facing extinction in anonymity since their taxonomic status is misconceived or unnoted [26-29]. It will be too late if we do not give a serious thought at least now to save these medicinal plants before we lose them forever.

Challenges for conservation of medicinal plants

The loss of plant biodiversity is essentially related to the consumption of ecological goods by the growing human population [22, 30, 31]. Habitat loss and fragmentation have increased the pace of desertification across the tropical forests [21, 32]. Large gaps in covering critical areas, anthropogenic threats and financial constraints are responsible to a great extent for the failure of existing mechanisms on conservation [22]. In addition, overexploitation of medicinal plants and their knowledge from aboriginal people drew the situation to worse. Some of these problems have been tackled by Governmental bodies (*like ENVIS [33], EPTRI, Centre for Ecological Sciences, Indian Institute of Science, Botanical Survey of India – Forest Research Institute*) and Non Governmental Organizations (*like FRLHT which has been designated as National Centre for Excellence for Medicinal Plants and Traditional Knowledge [34], and GrACE under the council for Green Revolution; an environment action group based in Hyderabad [35, 36]*). However, there has been significant need for coordination between Governmental and NGO groups. Andhra Pradesh has been so far successful in getting one biosphere reserve, six national parks, twenty one wildlife sanctuaries with over 13,000 sq km of

forest area [37], but there has been no proper scientific study undertaken till date to evaluate the working and maintenance of these protected areas. Further more, the so called unprotected areas do harbour lot of medicinal plants which are fading away in the wild due to aforesaid reasons [38, 39].

New perspectives for old problems

At the outset habitat protection must be prioritized improving and increasing the quality and size of PAs [11]. Carefully planned field studies involving exploration of new sites and undocumented medicinal taxa would help spotting the rare and threatened taxa. As suggested by Hooper, considering the biology of plants under threat is essential for prioritizing their conservation mechanisms [21, 40]. High quality planting stocks for conservation efforts could be obtained from *in situ* (on site) and *ex situ* (off site) methods. *In situ* and *ex situ* methods should be complemented for successful conservation of medicinal plants [3, 21, 41]. Recovering medicinal plants under endangered species act would be more helpful in accelerating the conservation mechanisms [42]. Since indigenous people are the custodians of these resources, they must be given the ownership to lead projects and share equity for an improved long term management of conservation strategies [21, 43]. Sustainable harvest practices combined with *ex situ* programmes to stop overexploitation of these resources should be considered by the policy makers [3, 44]. Recent policies grounded in scientific knowledge proposed by international bodies should be kept in mind by the conservation officials during customized policy making [2, 5, 45]. We strongly support the view points of Hooper, Balaguru et. al. and Upadhyay et. al., in achieving the goals of conservation in the changing world and reiterate the dire need for collaborative effort involving the indigenous people and various other stakeholders of these regions [3, 11, 21, 46]. After all it is Man who directly reaps the benefit from plants, and it is he who has to restore its lost glory. In the end it would be apt to ponder on the message that Mahatma Gandhi has left for us - "Earth provides enough to satisfy every man's need, but not any man's greed" [47].

Conclusions

Use of plants by aborigines for medicinal purposes has a lengthy record. Here we have presented a sum total of 267 medicinal plant taxa from Eastern Ghats of Andhra Pradesh, highlighting the recent threat status and ethnomedicinal uses. To our knowledge, this is a comprehensive review to date on medicinal plants of these areas and their conservation priorities. We recommend an integrated approach to medicinal plant conservation based on sound scientific rationale. Since these areas have received less attention, research should be focused on protection before many more plant species reach the verge of extinction.

Abbreviations

EG: Eastern Ghats;

AP: Andhra Pradesh;

ENVIS: Environmental Information System, Ministry of Environment and Forests;

EPTRI: Environmental Protection Training and Research Institute;

FRLHT: Foundation for Revitalization of local Health Tradition, a public charitable trust;

GrACE: Green Alliance for Conservation of Eastern Ghats;

PAs: Protected areas.

Acknowledgements

The authors offer their heartfelt gratitude to Bhagawan Sri Sathya Sai Baba, the Founder Chancellor of Sri Sathya Sai Institute of Higher Learning for providing inspiration to take up

this task. The authors extend deep sense of appreciation to the tribal communities for sharing their valuable information for the betterment of mankind. Dr. R.S. Sai Murali wishes to extend sincere thanks to the administrators of Lovely Professional University for encouragement and facilities for drafting this article.

References

- [1] T. Pullaiah, D.M. Rao, K.S. Ramamurthy, **Flora of Eastern Ghats: Hill Ranges of South East India**, Vol. 1, Daya Books, 2002.
- [2] P. Singh, B.L. Attri, *Survey on Traditional Uses of Medicinal Plants of Bageshwar Valley (Kumaun Himalaya) of Uttarakhand, India*, **International Journal of Conservation Science**, **5**(2), 2014, pp. 223-234.
- [3] Y. Uprety, H. Asselin, A. Dhakal, N. Julien, *Traditional use of Medicinal Plants in the Boreal forest of Canada: Review and Perspectives*, **Journal of Ethnobiology and Ethnomedicine**, **8**(1), 2012, pp. 1-14.
- [4] G.S. Rawat, *Conservation status of forests and wildlife in the Eastern Ghats, India*, **Environmental Conservation**, **24**(4), 1997, pp. 307-315.
- [5] * * *, <http://www.iucn.org/>. 2012, International Union for Conservation of Nature (IUCN).
- [6] S. Farooq, G. Pathak, *A comparative study of in vitro antibacterial activity of total solvent extracts of some Medicinal Plants with Asava and Arishta preparations*, **Journal of Non-Timber Forest Products**, **5**, 1998, pp. 79-81.
- [7] B.B. Petrovska, *Historical review of Medicinal Plants' usage*, **Pharmacognosy Reviews**, **6**(11), 2012, pp. 1-5.
- [8] R.S. Rao, T.A. Reddy, P. Venkanna, **Flora of West Godavari District, Andhra Pradesh, India**, Indian Botanical Society, Don Bosco Publishers, 1986.
- [9] K.G. MacDicken, *Global Forest Resources Assessment 2015: What, why and how?*, **Forest Ecology and Management**, **352**, 2015, pp. 3-8.
- [10] K. Remya, A. Ramachandran, S. Jayakumar, *Predicting the current and future suitable habitat distribution of Myristica dactyloides Gaertn. using MaxEnt model in the Eastern Ghats, India*, **Ecological Engineering**, **82**, 2015, pp. 184-188.
- [11] B. Balaguru, S.J. Britto, N. Nagamurugan, D. Natarajan, S. Soosairaj, *Identifying Conservation Priority Zones for Effective Management of Tropical Forests in Eastern Ghats of India*, **Biodiversity and Conservation**, **15**(4), 2006, pp. 1529-1543.
- [12] C.S. Reddy, K.N. Reddy, C. Pattanaik, V.S. Raju, *Ethnobotanical observations on some Endemic Plants of Eastern Ghats, India*, **Ethnobotanical Leaflets**, **10**(1), 2006, pp. 82-91.
- [13] C.S. Reddy, K.N. Reddy, E.N. Murthy, V.S. Raju, *Tree Wealth of Eastern Ghats of Andhra Pradesh, India: An updated checklist*, **Check List**, **5**(2), 2009, pp. 173-194.
- [14] G. Kumari, P. Rao, G. Subbarao, **Flora of Visakhapatnam District, Andhra Pradesh, Botanical Survey of India**, Ministry of Environment & Forests, New Delhi, 2002.
- [15] M.M. Iwu, *Introduction: Therapeutic agents from Ethnomedicine*, **Advances in Phytomedicine** (Editors: M.I. Maurice and C.W. Jacqueline) Elsevier, 2002, p. 1-22.
- [16] A. Gurib-Fakim, *Medicinal plants: Traditions of yesterday and drugs of tomorrow, Molecular Aspects of Medicine*, **27**(1), 2006, pp. 1-93.
- [17] B.B. Mishra, V.K. Tiwari, *Natural products: An evolving role in future Drug Discovery*, **European Journal of Medicinal Chemistry**, **46**(10), 2011, pp. 4769-4807.
- [18] J.M. Riddle, *History as a Tool in Identifying "New" Old Drugs, Flavonoids in Cell Function* (Editors: B.S. Buslig and J.A. Manthey), Springer US: Boston, MA, 2002, p. 89-94.
- [19] M.J. Balick, P.A. Cox, **Plants, People, and Culture: The Science of Ethnobotany**. Scientific American Library, 1996.
- [20] G. Menendez-Baceta, L. Aceituno-Mata, V. Reyes-García, J. Tardío, M. Salpeteur, M. Pardo-de-Santayana, *The importance of cultural factors in the distribution of Medicinal Plant knowledge: A case study in four Basque regions*, **Journal of Ethnopharmacology**, **161**, 2015, pp. 116-127.
- [21] S.D. Hopper, *Plant conservation at the crossroads*, **Oryx - The International Journal of Conservation**, **45**(2), 2011, pp. 155-156.

- [22] C. Mora, P.F. Sale, *Ongoing global biodiversity loss and the need to move beyond protected areas: A review of the technical and practical shortcomings of protected areas on land and sea*, **Marine Ecology Progress Series**, **434**, 2011, pp. 251-266.
- [23] N. Nghiêm, *Biodiversity conservation attitudes and policy tools for promoting biodiversity in tropical planted forests*, **Biodiversity and Conservation**, **22**(2), 2013, pp. 373-403.
- [24] C.S. Reddy, A. Giriraj, S. Babar, P. Ugle, S. Sudhakar, *Assessment of Fragmentation and Disturbance Patterns in Eastern Ghats: A Case Study in RV Nagar Range, Visakhapatnam District, Andhra Pradesh, India*, **Journal of the Indian Society of Remote Sensing**, **38**(4), 2010, pp. 633-639.
- [25] E. Elisabetsky, L. Costa-Campos, *Medicinal Plant genetic resources and International cooperation: The Brazilian perspective*, **Journal of Ethnopharmacology**, **51**(1) (1-3), 1996, pp. 111-120.
- [26] V.S. Chitale, M.D. Behera, P.S. Roy, *Future of Endemic Flora of Biodiversity hotspots in India*, **PLoS One**, **9**(12), 2014, pp. e115264.
- [27] J. Ellis, *Flora of Nallamalais*, Vol. 1, Botanical Survey of India, Culcutta, 1987.
- [28] R.T. Corlett, *Plant Diversity in a Changing World: Status, Trends, and Conservation Needs*, **Plant Diversity**, **38**(1): 11-18.
- [29] P.F. Thomsen, E. Willerslev, *Environmental DNA - An emerging tool in conservation for monitoring past and present Biodiversity*, **Biological Conservation**, **183**, 2015, pp. 4-18.
- [30] P.A. Sandifer, A.E. Sutton-Grier, B.P. Ward, *Exploring connections among Nature, Biodiversity, Ecosystem services, and Human health and well-being: Opportunities to enhance health and biodiversity conservation*, **Ecosystem Services**, **12**, 2015, pp. 1-15.
- [31] G. Carrus, M. Scopelliti, R. Laforteza, G. Colangelo, F. Ferrini, F. Salbitano, M. Agrimi, L. Portoghesi, P. Semenzato, *Go greener, feel better? The positive effects of biodiversity on the well-being of individuals visiting urban and peri-urban green areas*, **Landscape and Urban Planning**, **134**, 2015, pp. 221-228.
- [32] D.A. Hootman, B. Edwards, J.M. Bullock, *Reductions in connectivity and habitat quality drive local extinctions in a Plant diversity hotspot*, **Ecography**, **39**(6), 2016, pp. 583-592.
- [33] M.F. Kadir, M.S.B. Sayeed, M. Mia, *Ethnopharmacological survey of Medicinal Plants used by indigenous and tribal people in Rangamati, Bangladesh*, **Journal of Ethnopharmacology**, **144**(3), 2012, pp. 627-637.
- [34] * * *, **Environmental Information System, Ministry of Environment and Forests, India** (ENVIS), <http://envis.frlht.org.in/documents/andhrapradesh-medicinal-plants-conservation.pdf>. 2012, FRLHT (Foundation for Revitalisation of Local Health Traditions, Non Government Organization, Bangalore, India): Bangalore.
- [35] * * *, **Alliance for Conservation of Eastern Ghats, 2012, Council for Green Revolution**, <http://www.greenrevolution.org.in/index.html>
- [36] * * *, **Green Alliance for Conservation of Eastern Ghats, the Council for Green Revolution**, <http://graceindia.info/>, 2016.
- [37] G.Y. Park, J.J. Wilson, Y. Song, S.J. Lippard, *Phenantriplatin, a monofunctional DNA-binding platinum anticancer drug candidate with unusual potency and cellular activity profile*, **Proceedings of National Academy of Sciences**, **109**(30), 2012, pp. 11987-11992.
- [38] M. Rajsekhar, *India's forests are in serious decline, both in numbers and health*, **The Economic Times** (News Paper), 2012.
- [39] F. Forest, K.A. Crandall, M.W. Chase, D.P. Faith, *Phylogeny, Extinction and Conservation: Embracing uncertainties in a time of urgency*, **Philosophical Transactions of the Royal Society of London B: Biological Sciences**, **370**, 2015, ID. 20140002.
- [40] J.P. Murray, R. Grenyer, S. Wunder, N. Raes, J.P.G. Jones, *Spatial patterns of carbon, biodiversity, deforestation threat, and REDD+ projects in Indonesia*, **Conservation Biology**, **29**(5), 2015, pp. 1434-1445.
- [41] S.E. Ashmore, K.N. Hamilton, C.A. Offord, *Conservation technologies for safeguarding and restoring threatened flora: Case studies from Eastern Australia*, **In Vitro Cellular & Developmental Biology-Plant**, **47**(1), 2011, pp. 99-109.
- [42] S. Wolf, B. Hartl, C. Carroll, M.C. Neel, D.N. Greenwald, *Beyond PVA: Why recovery under the Endangered Species Act is more than population viability*, **BioScience**, **65**(2), 2015, pp. 200-207.

- [43] R.A. Mittermeier, R.A. Mittermeier, C.G. Mittermeier, G.A.B. da Fonseca, J. Kent, *Biodiversity Hotspots and Major Tropical Wilderness Areas: Approaches to Setting Conservation Priorities*, **Conservation Biology**, 12(3)1998.: p. 516-520.
- [44] S. Canessa, S.J. Converse, M. West, N. Cleemann, G. Gillespie, M. McFadden, A.J. Silla, K.M. Parris, M.A. McCarthy, *Planning for ex situ conservation in the face of uncertainty*, **Conservation Biology**, 30(3), 2016, pp. 599-609.
- [45] J.C. Walsh, L.V. Dicks, W.J. Sutherland, *The effect of scientific evidence on conservation practitioners' management decisions*, **Conservation Biology**, 29(1), 2015, pp. 88-98.
- [46] K. Kadavul, N. Parthasarathy, *Plant biodiversity and conservation of tropical semi-evergreen forest in the Shervarayan hills of Eastern Ghats, India*, **Biodiversity and Conservation**, 8(3), 1999, pp. 419-437.
- [47] * * *, **Pyarelal, Mahatma Gandhi**: The last phase, 2 Ed. Vol. 1, Navajivan Pub. House , 1956.
- [48] S.B. Padal, P.P. Murty, D. Srinivasa Rao, M. Venkaiah, *Ethnomedicinal plants from Paderu division of Visakhapatnam district, AP, India*, **Journal of phytology**, 2(8), 2010, pp. 70-91.
- [49] S.K. Basha, G. Sudarshanam, *Ethnobotanical studies on medicinal plants used by sugalis of yerramalais in kurnool district, Andhra Pradesh, India*, **International Journal of Phytomedicine**, 2(4), 2010, pp. 349-353.
- [50] S.K.M. Basha, P. Umamaheswari, M. Rambabu, N. Savitramma, *Ethnobotanical Study of Mamandur Forest (Kadapa-Nallamali Range) in Eastern Ghats, Andhra Pradesh, India*, **Journal of Phytology**, 3(10), 2011, pp. 44-47.
- [51] B.R.P. Rao, S. Sunitha, *Medicinal Plant Resources of Rudrakod Sacred Grove in Nallamalais, Andhra Pradesh, India*, **Journal of Biodiversity**, 2(2), 2011, pp. 75-89.
- [52] K. Naidu, S. Khasim, *Contribution to the Floristic Diversity and Ethnobotany of Eastern Ghats in Andhra Pradesh, India*, **Ethnobotanical Leaflets**, 14, 2010, pp. 920-941.
- [53] C. Pattanaik, C. Reddy, K. Reddy, *Ethno-medicinal survey of threatened plants in Eastern Ghats, India*, **Our Nature**, 7(1), 2009, pp. 122-128.
- [54] D. Sheil, *Conservation and Biodiversity monitoring in the Tropics: Realities, Priorities, and distractions*, **Conservation Biology**, 15(4), 2001, pp. 1179-1182.
- [55] C. Sudhakar Reddy, S. Babar, G. Amarnath, C. Pattanaik, *Structure and floristic composition of tree stand in tropical forest in the Eastern Ghats of northern Andhra Pradesh, India*, **Journal of Forestry Research**, 22(4), 2011, pp. 491-500.
- [56] J.L. Bapuji, S.V. Ratnam, *Traditional uses of some medicinal plants by tribals of Gangaraju Madugula Mandal of Visakhapatnam district, Andhra Pradesh*, **Ethnobotanical Leaflets**, 13, 2009, pp. 388-398.
- [57] C.S. Reddy, K.N. Reddy, E.N. Murthy, V.S. Raju, *Traditional medicinal plants in Seshachalam hills, Andhra Pradesh*, **Indian Journal of Medicinal Plants Research**, 3(5), 2009, pp. 408-412.
- [58] N.C. Babu, M.T. Naidu, M. Venkaiah, *Ethnomedicinal plants of Kotia hills of Vizianagaram district, Andhra Pradesh, India*, **Journal of phytology**, 2(6), 2010, pp. 76-82.
- [59] K.V. Ratnam, R.R.V. Raju, *Folk remedies for insect bites from Gundlابrahmeswaram wild life sanctuary, Andhra Pradesh*, **Indian Journal of Traditional Knowledge**, 7(3), 2008, pp. 436-437.
- [60] K. Reddy, G. Trimurthulu, C.S. Reddy, *Plants used by the ethnic people of Krishna district, Andhra Pradesh*, **Indian Journal of Traditional Knowledge**, 9(2), 2010, pp. 313-317.
- [61] R. Seshagiri Rao, P. Venkanna, T.A. Reddy, **Flora of West Godavari District, Andhra Pradesh, India**, **Flora of India**, Meerut: Hon. Secretary, Indian Botanical Society, Dept.of Botany, Meerut University, 1986.

Received: June 04, 2016

Accepted: May 28, 2017

Table. 1. Floristic, ethnomedicinal and threat status of Medicinal Plants in the Eastern Ghats of Andhra Pradesh

Plant Name	Local name	Ethnomedicinal use	Parts used	T S*	Ref.
<i>Abrus precatorious</i> L. (Fabaceae)	Gurivinda, Guruginja	Cold, Cough, Joint pains, Neuro disorders, family planning	Root, seeds	N A	[48- 50]
<i>Abutilon indicum</i> (L.) Sweet. (Malvaceae)	Tuturbenda	Boils, itching, piles, scabies, urinary problems, rheumatism	Leaves, seeds, tender parts	N A	[48, 49]
<i>Acacia chundra</i> (Roxb.ex.Rottl.) Willd. (Mimosaceae)	Sandra, Kachu	Blisters, Boils, dysentery	Leaves, stem bark	N A	[48]
<i>Acacia nilotica</i> (L.) Willd. Ex Del. (Mimosaceae)	Nalla thumma	Urinary problems	pods	N A	[48]
<i>Acacia torta</i> (Roxb.) Craib. (Mimosaceae)	Korinti	Cough	Stem bark, leaves	N A	[48, 51]
<i>Acalypha indica</i> L. (Euphorbiaceae)	Muripindi	Jaundice	leaves	N A	[48]
<i>Acanthospermum hispidum</i> DC (Asteraceae)	Guntakala garaku	Jaundice	Leaves	N A	[48]
<i>Achyranthes aspera</i> L. (Amaranthaceae)	Duschina, Uttareni	Boils, dysentery, jaundice, piles, skin diseases, tooth ache, delivery, paralysis, filariasis, antidote, odontralgic	Whole plant, tender leaves	N A	[48, 51, 52]
<i>Acorus calamus</i> L. (Araceae)	Bacha	Indigestion	Rhizome	E N	[34, 53- 55]
<i>Adiantum lunulatum</i> Burm. (Polypodiaceae)	Gatumandu, Kusti	Diabetes, epilepsy, herpes, antidote for scorpion sting and centipede bite	Rhizome, rhizome	N A	[48, 52]

Table. 2. Floristic, ethnomedicinal and threat status of Medicinal Plants in the Eastern Ghats of Andhra Pradesh

Plant Name	Local name	Ethnomedicinal use	Parts used	T S*	Ref.
<i>Aegle marmelos</i> (L.) Correa. (Rutaceae)	Maredu, bilva	Diarrhoea, eye diseases, cholera, asthma	Fruit pulp, stem bark	V U	[34, 48, 51, 53, 54, 56, 57]
<i>Aerva lanata</i> (L.) Juss. (Amaranthaceae)	Pindikura	Kidney stones	Whole plant	N A	[48, 51]
<i>Ageratum conyzoides</i> L. (Asteraceae)	Pumpulla	Dysentery, skin diseases, cuts	Whole plant, roots	N A	[48, 51]
<i>Alangium salvifolium</i> (L.f.) Wanger. (Alangiaceae)	Uduga chettu, Vooduga	Facial paralysis, skin problems	Stem bark	N A	[48, 51, 56]
<i>Albizia lebbeck</i> (L.) Benth. (Mimosaceae)	Dirisanamu	Boils, eruptions, gum infections, night blindness	Flowers, tender shoots, leaves	N A	[48, 56]
<i>Albizia odoratissima</i> (L.f.) Benth. (Mimosaceae)	Chinduga	Bronchitis, diabetes, leprosy, ulcers	Stem bark, stem bark	N A	[48]
<i>Albizia thompsonii</i> Brandis (Mimosaceae)	Velugu chinta	Skin diseases and ulcers	Stem bark, leaves	V U	[12, 13, 34, 53, 54]
<i>Alternanthera sessilis</i> (L.) R. Br. (Amaranthaceae)	Ponnaganti	Diarrhoea, dysopia	Whole plant,	N A	[48]
<i>Amaranthus gangeticus</i> L. (Amaranthaceae)	Thota kura	Dysentery	Whole plant	N A	[48]
<i>Amaranthus spinosus</i> L. (Amaranthaceae)	Mulla thota kura	Liver disorders, spleen problems	Roots	N A	[48]
<i>Amorphophallus paeoniifolius</i> (Dennst.) Nicolson (Araceae)	Sirikanda	Bone fracture	Complete plant	N A	[58]
<i>Anacardium occidentale</i> L. (Anacardaceae)	Seedi, Jidi mamidi	Cracks, skin diseases	Seeds, stem bark	N A	[48, 52]

Table. 3. Floristic, ethnomedicinal and threat status of Medicinal Plants in the Eastern Ghats of Andhra Pradesh

Plant Name	Local name	Ethnomedicinal use	Parts used	TS *	Ref.
<i>Andrographis paniculata</i> (Burm. f.) Wall. Ex Nees (Acanthaceae)	Nelavemu, Resa, Kambarapadde	Diabetes, small pox, leprosy, fever, cancer, intestinal worms	Leaves, whole plant, roots	N A	[48, 49, 52]
<i>Angiopteris evecta</i> (Forst.) Hoffm. (Marattiaceae)	Davanamu	Heart problems	Rhizome	E N	[13, 34, 48, 53]
<i>Anisomeles indica</i> L. (Lamiaceae)	Ada beera	Epilepsy, astringent, stimulant, urinary disorders	Whole plant	N A	[48, 51]
<i>Annona reticulata</i> L. (Annonaceae)	Ramaphalam	Scabies, blood purifier	Leaves, fruits	N A	[52, 56]
<i>Annona squamosa</i> L. (Annonaceae)	Seetaphalam	Bronchitis, ulcers	Bark, leaves	N A	[48, 56]

MEDICINAL PLANTS IN THE EASTERN GHATS OF ANDHRA PRADESH, INDIA

<i>Anogeissus acuminata</i> Wall. Ex Bedd. (Combretaceae)	Pachi manu	Dysentery, urinary problems	Stem bark, gum	N A	[48]
<i>Anogeissus latifolia</i> (Roxb. ex DC.) Wall.ex Bedd. (Combretaceae)	Thirmanu	Cough, external application for scorpion bite	Stem bark	N A	[48, 59]
<i>Argemone mexicana</i> L. (Papaveraceae)	Balu rakkisa	Leprosy, psoriasis, scabies	Seeds, leaves	N A	[48, 50]
<i>Argyreia nervosa</i> (Burm.f.) Boj. (Convolvulaceae)	Samudra pala, Chandrapoda	Blisters, boils, rheumatism, hydrocele	Leaves, roots	N A	[48, 49, 60]
<i>Aristolochia bracteolata</i> Lamk. (Aristolochiaceae)	Gadidagadapaak u	Eczema, skin diseases	Leaves	N A	[48]
<i>Aristolochia indica</i> L. (Aristolochiaceae)	Nalleswari	Infant diarrhoea, antidote for scorpion sting, ring worm, eczema, psoriasis	Roots, whole plant, leaves	N A	[48, 49, 52]
<i>Artemisia vulgaris</i> L. (Asteraceae)	Davanamu	Dysentery, skin diseases	Leaves	N A	[48]

Table. 4. Floristic, ethnomedicinal and threat status of Medicinal Plants in the Eastern Ghats of Andhra Pradesh

Plant Name	Local name	Ethnomedicinal use	Parts used	TS*	Ref.
<i>Artocarpus heterophyllus</i> Lam. (Moraceae)	Panasa chettu	Dysentery, dysentery	Stem bark, roots	N A	[48, 56]
<i>Asparagus recemosus</i> Willd. (Liliaceae)	Pilli teegalu, Satavari, kalla gadda	dysentery	roots	N A	[48]
<i>Atlanta monophylla</i> (Roxb.) DC. (Rutaceae)	Gaja nimma, adavinimma	Paralysis, eczema,	Seed oil, roots, leaves	N A	[48, 56, 60]
<i>Azadirachta indica</i> A. Juss. (Meliaceae)	Vepachettu, konda vepa, turaka vepa	Diarrhoea, jaundice, skin diseases, small pox, chickenpox, malaria	Stem bark, leaves, seed oil	N A	[48, 51, 58]
<i>Atlanta monophylla</i> (Roxb.) DC. (Rutaceae)	Gaja nimma, adavinimma	Paralysis, eczema,	Seed oil, roots, leaves	N A	[48, 56, 60]
<i>Azadirachta indica</i> A. Juss. (Meliaceae)	Vepachettu, konda vepa, turaka vepa	Diarrhoea, jaundice, skin diseases, small pox, chickenpox, malaria	Stem bark, leaves, seed oil	N A	[48, 51, 58]
<i>Bacopa monnieri</i> (L.) Wettstein. (Scrophulariaceae)	Samvani sambrani mokka, brahmi chettu,	Cooling effect, epilepsy, memory power	Whole plant	N A	[48]
<i>Bambusa arundinacea</i> Retz. Willd. (Bambusaceae)	Veduru	Piles	Inner membrane of the culm	N A	[52]
<i>Barleria prionitis</i> L. (Acanthaceae)	Mulla gorinta	Cough, jaundice, tooth pain, throat ulcers	Leaves, roots	N A	[48, 52, 56]
<i>Barleria strigosa</i> Willd. (Acanthaceae)	Neelambaram	Tuberculosis	roots	N A	[48, 58]
<i>Bauhinia purpurea</i> L. (Fabaceae)	Pachari	Dysentery	Stem bark	N A	[48]

Table. 5. Floristic, ethnomedicinal and threat status of Medicinal Plants in the Eastern Ghats of Andhra Pradesh

Plant Name	Local name	Ethnomedicinal use	Parts used	TS*	Ref.
<i>Bauhinia racemosa</i> Lam. (Fabaceae)	Bodantamkur a, chinnaare	Diarrhoea, epilepsy, eye infections, sticky motions	Root bark, stem bark, leaves	N A	[48, 51, 52, 60]
<i>Bauhinia vahlii</i> Wt & Am. (Fabaceae)	Addakulu	Dysentery, syphilis	roots	N A	[48, 52]
<i>Bidens pilosa</i> L. (Asteraceae)	Japra, jafra	Cold, cough, ear pain, tooth ache, fever	Whole plant, leaves, roots	N A	[48, 52]
<i>Biophytum nervosum</i> Thw. (Oxalidaceae)	Pushpajalam	Chest pain, Rheumatoid arthritis	Whole plant	N A	[48, 58]
<i>Bixa orellana</i> L. (Bixaceae)	Jabarukaya	Dysentery, jaundice, throat infections	Leaves	N A	[48]
<i>Boerhaavia diffusa</i> L. (Nyctaginaceae)	Kannekomari , attamamidi	Aphrodisiac, discutient	Tubers	N A	[51]
<i>Bombax ceiba</i> L. (Bombacaceae)	Tellaburuga, adaviburuga	Chicken pox, contraception, menstrual problems, blisters	Flowers, stem bark, root bark	N A	[48, 51]
<i>Borassus flabellifer</i> L. (Arecaceae)	Thati chettu	Intestinal worms, skin diseases, laxative	Fruits	N A	[48, 56]
<i>Boswellia serrata</i> Roxb. (Burseraceae)	Anduga, anthuka	Diarrhoea, dysentery, skin diseases, general weakness, antidote for scorpion sting	Stem bark, gum,	N A	[48, 60]
<i>Boswellia ovalifoliolata</i> Balakr. & Henry (Burseraceae)	Guggilum	Antidote for scorpion sting, Children's diseases	Resin and gum	E N	[12, 13, 34, 53, 54, 57]
<i>Bridelia retusa</i> (L.) Spr. (Phyllanthaceae)	Koramamu	Chest pain, jaundice	Stem bark	N A	[48, 56]

Table. 6. Floristic, ethnomedicinal and threat status of Medicinal Plants in the Eastern Ghats of Andhra Pradesh

Plant Name		Local name	Ethnomedicinal use	Parts used	T S*	Ref.
<i>Buchanania lanzen</i> Spr.	(Anacardaceae)	Chinnamurli, sara	Boils, chest pain, infant diarrhoea, ulcers	Stem bark	L R	[13, 34, 48, 53, 54, 57, 58]
<i>Butea monosperma</i> (Lamak.)	(Fabaceae)	Moduga	Herpes, antihelmintic , antifertility	Seeds , root bark	E N	[13, 34, 49, 52-54, 57]
<i>Butea superba</i> Roxb.	(Fabaceae)	Teega modugu	Eczema, piles	Roots, shoots	N A	[48, 56]
<i>Bytneria herbacea</i> (Sterculiaceae)		Rudraksha	Asthma	Roots	N A	[58]
<i>Dalbergia latifolia</i> Roxb.	(Fabaceae)	Irugudu chettu	Leprosy	Stem bark & leaves	N A	[48]
<i>Dalbergia sissoo</i> Roxb.	(Fabaceae)	Yerra sissoo , simsupa	Dysentery, eye diseases, scabies	Roots, leaves, wood	N A	[48]
<i>Datura metel</i> L. (Solanaceae)		Nalla ummetta	Scabies and other skin diseases, controlling excessive lactation	Leaves	N A	[52, 56]
<i>Decalepis hamiltonii</i> Wight. & Arn.	(Asclepiadaceae)	Nannari, neemam teega, maredu geddalu	Rejuvenation (tonic), cooling agent	Roots	E N	[12, 13, 34, 53, 54, 57]
<i>Decaschistia cuddapahensis</i> Paul & Nayar (Malvaceae)		Magasiri Gadda	Aphrodisiac	Roots	N	[12]
<i>Delonix regia</i> (Boj.ex Hook.) Rat. (Cesalpiniaceae)		Turayi	Dysmenorrhoea,	Flowers,	N A	[48, 61]
<i>Desmodium gangeticum</i> (L.) DC (Fabaceae)		Bhumi gittanaramu	Ippa, Blisters, boils, skin diseases, whooping cough	Leaves	N A	[48, 51, 56]

Table. 7. Floristic, ethnomedicinal and threat status of Medicinal Plants in the Eastern Ghats of Andhra Pradesh

Plant Name		Local name	Ethnomedicinal use	Parts used	T S*	Ref.
<i>Desmodium triflorum</i> (L.) DC. (Fabaceae)		Muntha mandhu	Fractures, malaria, dysentery diarrhoea	Whole plant	N A	[48, 56]
<i>Dichrostachys cinerea</i> (L.) Wt. (Araeace)		Veluturu chettu	Chicken pox, fractures, paralysis	Roots, root bark, tubers	N A	[48, 56]
<i>Dioscorea oppositifolia</i> L. (Dioscoreaceae)		Paralagaddalu	Fractures, antidote for scorpion and snake bite	Tubers, roots	N A	[48, 50, 59]
<i>Dioscorea pentaphylla</i> L. (Dioscoreaceae)		Aarekateegalu	Fractures, cold and cough	Tubers, roots	N A	[48, 52]
<i>Diopyros melanoxylon</i> Roxb. (Ebenaceae)		Thummika	Chest pain, cold, Diarrhoea	Roots, stem bark, leaves, fruits	N A	[48, 52, 58]
<i>Eclipta prostrata</i> L. (Asteraceae)		Guntagalijaraku	Jaundice, elephantiasis, antidepilatory	Leaves, whole plant	N A	[51]
<i>Emilia sonchifolia</i> DC. (Asteraceae)		Tella nelanthu	diarrhoea	Roots	N A	[48]
<i>Enicostema axillare</i> (Lam.) Raynal. (Gentianaceae)		Gulvidi, chevvu kurti	Blood Purification	Whole plant	N A	[48]
<i>Entada purpurea</i> D.C. (Mimosae)		Gillteega	Herpes, intestinal worms, Rheumatoid arthritis	Kernel, cotyledons	E N	[13, 34, 48, 53, 54, 57, 58]
<i>Erythrina variegata</i> L. (Fabaceae)		Badita chettu, modugu	Cold, cough in children, aphrodisiac, leucorrhoea	Leaves, flowers, stem bark	N A	[48, 52]
<i>Euphorbia hirta</i> L. (Euphorbiaceae)		Pacchabottu mokka, alumu, reddinabrolu	Dysentery, kidney stones, rheumatoid arthritis, warts, cuts	Leaves & roots, whole plant, latex	N A	[48, 51, 56, 58]

Table. 8. Floristic, ethnomedicinal and threat status of Medicinal Plants in the Eastern Ghats of Andhra Pradesh

Plant Name		Local name	Ethnomedicinal use	Parts used	TS*	Ref.
<i>Euphorbia thymifolia</i> L. (Euphorbiaceae)		Reddi-vari manubala	Tooth ache, urinary problems	Whole plant	N A	[48]
<i>Ficus benghalensis</i> (Moraceae)		Marri	Eye diseases	latex	N A	[48, 56]
<i>Ficus hispida</i> L.f. (Moraceae)		Bemmidi	Boils, ulcers	Leaves, stem bark	N A	[48, 51]
<i>Ficus racemosa</i> L. (Moraceae)		Medichettu, athi	Diabetes, piles, Diarrhoea	Fruits, latex, Stem bark	N A	[48, 51, 58]
<i>Ficus religiosa</i> L. (Moraceae)		Raavi	Paralysis	Bark	N A	[51]
<i>Glochidion tomentosum</i> Dalz. (Phyllanthaceae)		Pageri	Wounds	Leaves	N A	[12]
<i>Gloriosa superba</i> L. (Liliaceae)		Adavinaabhi, potti dumpa, kalappa	Cuts, dysopia, stomach problems, asthma	Tubers, stem bark, leaves	V U	[13, 34, 48, 53, 54, 57, 58]

MEDICINAL PLANTS IN THE EASTERN GHATS OF ANDHRA PRADESH, INDIA

gadda							58]	
<i>Gmelina arborea</i> (Lamiaceae)	Roxb.	Gummidi	Gonorrhoea, antidote for scorpion sting	Leaves	N	[48, 59]	A	
<i>Gmelina asiatica</i> (Lamiaceae)	L.	China gummidi	Dandruff, tooth ache, Swellings, leprosy	Fruits, leaves, stem bark, roots	N	[48, 58]	A	
<i>Grewia tilifolia</i> (Tiliaceae)	Vahl.	Charachis	dysentary	Stem bark	N	[56]	A	
<i>Gymnema sylvestre</i> (Retz.) R. Br. ex Roem & Schult. (Asclepiadaceae)		Podapatri	Diabetes, diarrhoea, dysentery, tumors in stomach, antidote for snake bite, diuretic	Leaves, roots	V	[13, 34, 48, 53, 54, 56-58]	U	
<i>Gyrocarpus americanus</i> Jacq. (Hernandiaceae)		Poliki, puniki	Spider bite, cancer	Stem bark	N	[49, 59, 60]	A	

Table. 9. Floristic, ethnomedicinal and threat status of Medicinal Plants in the Eastern Ghats of Andhra Pradesh

Plant Name	Local name	Ethnomedicinal use	Parts used	T S*	Ref.
<i>Habenaria roxburghii</i> (Pers.) R.Br. (Orchidaceae)	Malle Leena Gadda	Wounds, antidote for snake bite	Tubers	N	[12]
<i>Haldina cordifolia</i> (Roxb.) Ridsdale (Rubiaceae)	Bandari, pasupukadam ba	Stomach ache	Stem bark	N	[56]
<i>Helicteres isora</i> L. (Sterculiaceae)	Chamalli, nulitada	Dysentery, antidote for snake bite, diabetes, antidote for rabies	Fruits, roots, seeds leaves	N A	[48, 49, 52, 58]
<i>Heliotropium indicum</i> L. (Boraginaceae)	Nagadanthi , nagadanti	Ulcers, antidote for snake bite	leaves	N A	[48, 56]
<i>Hemidesmus indicus</i> (L.) R. Br. (Asclepiadaceae)	Sugandhi pala	Cooling effect, dysentery, herpes, rheumatism	Roots	V U	[13, 34, 48, 53, 54, 56, 57]
<i>Heterostemma deccanense</i> (Talb.) Swarup. & Mangaly (Asclepiadaceae)	Pedda Joola pala	Stomach ailments	Stem bark	E	[12, 13, 34, 53, 54]
<i>Hibiscus rosa-sinensis</i> L. (Malvaceae)	Mandaara	Boils, Bronchitis, dandruff, gastric problems	leaves , flowers,	N A	[48]
<i>Hildebrandia populifolia</i> (Roxb.) Schott. & Endl. (Sterculiaceae)	Gali Budda	Antidote for dog bite, malaria	Stem bark	E N	[12, 13, 34, 53, 54, 57]
<i>Holarrhena antidysenterica</i> Wall Ex Don. (Apocynaceae)	Aakupala, pala kodaga	Amoebic dysentery, diarrhoea	Stem bark	N A	[56]
<i>Holarrhena pubescens</i> Wall. Ex Don. (Apocynaceae)	Palakodisa	Dysentery, stomach ache, Asthma	Stem bark, roots	N A	[48, 58]
<i>Holoptela integrifolia</i> (Roxb.) Planch. (Ulmaceae)	Tharisa	Vulnery	Stem bark	N A	[51]
<i>Hugonia mystax</i> L. (Linaceae)	Kakibeera, pisangi	diabetes	roots	N A	[48]

Table. 10. Floristic, ethnomedicinal and threat status of Medicinal Plants in the Eastern Ghats of Andhra Pradesh

Plant Name	Local name	Ethnomedicinal use	Parts used	T S*	Ref.
<i>Hyptis suaveolens</i> (L.) Poit. (Lamiaceae)	Seema tulasi, godrundal	Fever, ulcers, joint pains	Roots, seeds, seed oil	N A	[52, 58]
<i>Ichnocarpus frutescens</i> (L.) R. Br. (Apocynaceae)	Illukatte, palatega	Blood purification	Roots	N A	[48]
<i>Indigofera tinctoria</i> L. (Fabaceae)	Neela, kondaneela	Bronchitis, tooth ache	Root, tender shoots	N A	[48]
<i>Ipomea nil</i> L. (Convolvulaceae)	Jiriki, kollivithulu	ulcers	Whole plant	N A	[48]
<i>Ixora pavetta</i> Andrews. (Rubiaceae)	Kolimichettu, korivi pala	Chest pain, hepatic disorders, jaundice	Leaves, stem bark,	N A	[48] [58]
<i>Jatropha curcas</i> L. (Euphorbiaceae)	Nepalamu, adavi aamidamu	Dysentery, gum bleeding, tooth ache	Roots, tender shoots	N A	[48]
<i>Jatropha gossypifolia</i> L. (Euphorbiaceae)	Seema nepalam	Eczema, paralysis, bonefracture	Leaves, roots	N A	[48, 58]
<i>Justicia adhatoda</i> L. (Acanthaceae)	Addasaramu	Diarrhoea, expectorant, bronchitis, asthma, tuberculosis	Leaves, inflorescence	N A	[52, 58]
<i>Kalanchoe pinnata</i> Lam. (Crassulaceae)	Gallarapaku	Cough & diarrhoea	leaves	N A	[58]
<i>Lantana camara</i> L. (Verbenaceae)	Deva ganneru, pulikampa	Burns, body pains	Leaves, roots	N A	[48, 56]
<i>Lawsonia inermis</i> L. (Lythraceae)	Gorinta	Dysentery, gynecological problems	Seeds, leaves	N A	[60]
<i>Leonotis nepatifolia</i> (L.) R. Br. (Lamiaceae)	Ranabheri	Skin diseases, breast pain, fever	Leaves, inflorescence	N A	[48, 51, 58]

Table. 11. Floristic, ethnomedicinal and threat status of Medicinal Plants in the Eastern Ghats of Andhra Pradesh

Plant Name	Local name	Ethnomedicinal use	Parts used	T S*	Ref.
<i>Leptadenia reticulata</i> (Retz.) Wt. & Arn. (Asclepiadaceae)	Mukku thummudu	Ear pain, eczema, scabies	Whole plant	N A	[48, 56]
<i>Litsea glutinosa</i> (Lour.) C.B. Robinson (Lauraceae)	Pangiachinna	Fractures, chest pain	Stem bark	C N	[13, 34, 48, 53, 54, 57, 58]
<i>Lygodium flexuosum</i> L. (Lygodiaceae)	Khorothi	Jaundice	Leaves	N A	[58]
<i>Lantana camara</i> L. (Verbenaceae)	Deva ganneru, pulikampa	Burns, body pains	Leaves, roots	N A	[48, 56]
<i>Lawsonia inermis</i> L. (Lythraceae)	Gorinta	Dysentery, gynecological problems	Seeds, leaves	N A	[60]
<i>Leonotis nepetifolia</i> (L.) R. Br. (Lamiaceae)	Ranabheri	Skin diseases, breast pain, fever	Leaves, inflorescence	N A	[48, 51, 58]
<i>Leptadenia reticulata</i> (Retz.) Wt. & Arn. (Asclepiadaceae)	Mukku thummudu	Ear pain, eczema, scabies	Whole plant	N A	[48, 56]
<i>Litsea glutinosa</i> (Lour.) C.B. Robinson (Lauraceae)	Pangiachinna	Fractures, chest pain	Stem bark	C N	[13, 34, 48, 53, 54, 57, 58]
<i>Lygodium flexuosum</i> L. (Lygodiaceae)	Khorothi	Jaundice	Leaves	N A	[58]
<i>Macrotyloma uniflorum</i> (Lamk.) Verd. (Fabaceae)	Ulavalu	Rheumatic pains, kidney stones	Seeds	N A	[52]
<i>Madhuca indica</i> J. F. Gmel. (Sapotaceae)	Ippa	Asthma	Flowers	N A	[58]

Table. 12. Floristic, ethnomedicinal and threat status of Medicinal Plants in the Eastern Ghats of Andhra Pradesh

Plant Name	Local name	Ethnomedicinal use	Parts used	T S*	Ref.	
<i>Madhuca longifolia</i> (Sapotaceae)	Koeng.	Vippachettu	Burns, Dysmenorrhoea, tooth and ear aches	Leaves, roots, stem bark, root bark	N A [48, 52]	
<i>Mallotus philippensis</i> (Lamk.) Muell-Arg. (Euphorbiaceae)	Kumkumachettu	Bladder stones, tape worms, round worms	Fruit epicarp, total fruit	N A	[52]	
<i>Mangifera indica</i> (Anacardaceae)	L.	Mamidi	Leprosy, tuberculosis, diarrhoea	Stem bark,	N A [48, 56]	
<i>Marselia quadrifolia</i> (Marseliaceae)	L.	Ciklinthakura	Insomnia	Leaves	N A	[58]
<i>Memecylon umbellatum</i> Burm. f. (Memecylaceae)	Kukkali, midalli	Gynaecological problems	Root bark	N A	[48]	
<i>Merremia gangetica</i> (Convolvulaceae)	L.	Yelukacheviyaaku	Antidote for snake bite	Root tubers	N A	[58]
<i>Mimosa pudica</i> L. (Mimosaceae)	Attipatti, pimasalongi	Malaria, anti-inflammatory, kidney stones	Leaves, stem	N A	[52, 58, 60]	
<i>Momordica charantia</i> (Cucurbitaceae)	L.	Kakara chettu	Spleen problems, Liver problems	leaves	N A	[48]
<i>Momordica dioica</i> (Cucurbitaceae)	L.	Agaara	Burns, diabetes, heart pain, ring worm and scabies	Leaves, rhizome fruits, roots	N A	[48, 52]
<i>Monochoria vaginalis</i> (Pontederiaceae)	Burm.	Nirkancha, neetichamanthi, kappa kaluva	Cooling effect		N A	[48]
<i>Morinda pubescens</i> (Rubiaceae)	Smith	Maddi	Jaundice	Stem bark	N A	[51]

Table. 13. Floristic, ethnomedicinal and threat status of Medicinal Plants in the Eastern Ghats of Andhra Pradesh

Plant Name	Local name	Ethnomedicinal use	Parts used	T S*	Ref.
<i>Moringa pterygosperma</i> Gaertn. (Moringaceae)	Muluga, munaga	Cold, wounds and cuts	Stem bark, gum	N A	[52]
<i>Murraya koenigii</i> (L.) Spr. (Rutaceae)	Karivepaaku	dysentery	roots	N A	[48]
<i>Musa paradisiaca</i> Linn. (Musaceae)	Arati	Gonorrhoea	Roots	N A	[52]
<i>Naravelia zeylanica</i> (L.) DC (Ranunculaceae)	Pullabatchala	Chest pain, cold	Stem bark, whole plant	V U	[13, 34, 48, 53, 57, 58]
<i>Naringi crenulata</i> (Roxb.) Nicolson. (Rutaceae)	Torravelaga, verrivelaga	Dysentery, intestinal worms, antidote for snake bite	Leaves, fruits, stem bark	N A	[48, 51, 58]
<i>Nelumbo nucifera</i> Gaerth. (Nymphaeaceae)	Kamalam, erra taamarra	diarrhoea	Whole plant	N A	[48]
<i>Ocimum basilicum</i> L.	Bhutulasi, rudrajada,	Chronic dysentery, diarrhoea,	Seeds, leaves	N	[48, 52]

MEDICINAL PLANTS IN THE EASTERN GHATS OF ANDHRA PRADESH, INDIA

(Lamiaceae)		vepudupaccha	ear pain, piles and gout		A
<i>Ocimum gratissimum</i> L.		Nimma tulasi, rama tulasi	paralysis	Roots	N [48]
(Lamiaceae)		Manchi tulasi, Krishna tulasi, brynda	Malaria, bronchitis, fits	Roots, leaves	A [52, 58]
<i>Ocimum sanctum</i> L.		Nagajemudu	Antidote for snake bite	Phyllode	N [56]
(Lamiaceae)					A
<i>Opuntia dillenii</i> (Ker-Gawl)					N [58]
Haw (Cactaceae)					A
<i>Orthosiphon rubicundus</i> (D.Don) Benth. (Lamiaceae)	Nelatappidi	Piles		Root tubers	N [58]
					A

Table. 14. Floristic, ethnomedicinal and threat status of Medicinal Plants in the Eastern Ghats of Andhra Pradesh

Plant Name	Local name	Ethnomedicinal use	Parts used	T S *	Ref.
<i>Oroxylum indicum</i> (L.) Vent. (Bignoniaceae)	Pampini chettu	Diarrhoea, dysentery, tuberculosis	Root bark, roots	V U	[13, 34, 48, 52-54, 57]
<i>Oxalis corniculata</i> L. (Oxaliadaceae)	Puli chinta	Urinary problems, laxative	Whole plant	N A	[48, 52]
<i>Pedalium morex</i> L. (Pedaliaceae)	Yenugupalleru	Gonorrhoea	Whole plant	N A	[58]
<i>Phyllanthus reticulata</i> Poir. (Euphorbiaceae)	Pindipulla, pulcheru, poolaguvva	Gum infections, eye infections, loose motions, piles, sores	Tender shoots	N A	[48, 52, 60]
<i>Piper longum</i> L. (Piperaceae)	Pippallu	Delivery, caraminative	Stem, fruits	N A	[52]
<i>Pimpinella tirupatiensis</i> Balakr. & Subram. (Apiaceae)	Konda kottimeera	Antidote for scorpion sting	Roots	E N	[48]
<i>Pithecellobium dulce</i> (Roxb.) Benth. (Fabaceae)	Sema chinta	dysentery	Stem bark	N A	[13, 34, 48, 53, 54, 57]
<i>Plumbago zeylanica</i> L. (Plumbaginaceae)	Tellachitramoolam	Dysmenorrhoea, skin diseases, rheumatism, Dental problems	Roots, stem, oil	E N	[13, 34, 48, 50, 53, 54, 56, 57, 60]
<i>Plumeria alba</i> L. (Apocynaceae)	Nooru varahalu	scabies	latex	N A	[56]
<i>Pogostemon benghalensis</i> (Burm. f.) O. Ktze. (Lamiaceae)	Kokala	Indigestion, fever	Roots, leaves	N A	[48, 58]
<i>Pseudarthria viscosa</i> (L.) Wt. & Arn. (Fabaceae)	Mayakuponna, muyakuponna	Excessive heat, heart problems	Roots, roots	L R	[13, 34, 48, 53, 54, 57]

Table. 15. Floristic, ethnomedicinal and threat status of Medicinal Plants in the Eastern Ghats of Andhra Pradesh

Plant Name	Local name	Ethnomedicinal use	Parts used	T S *	Ref.
<i>Psidium guajava</i> L. (Myrtaceae)	Jaama , goyya, tella jama	dysentery	Stem bark	N A	[48]
<i>Pterocarpus marsupium</i> Roxb. (Fabaceae)	Yegichettu, asana	Diarrhoea, dysentery, skin diseases, leucoderma	Gums, root bark, leaves, heart wood	N A	[48, 49]
<i>Pterocarpus santalinus</i> L.f. (Fabaceae)	Erra chandanamu, Rakta chandanamu	Diabetes	Stem bark	C E	[12]
<i>Pterolobium hexapetalum</i> (Roth.) Sant. & Wagh (Caesalpiniaceae)		Cough in children	Stem bark	N A	[48]
<i>Pterospermum xylocarpum</i> (Gaertn.) Sant. & Wagh (Malvaceae)	Tada chettu, lolugu chettu	Dandruff, stomach ache	Leaves, bark	N A	[48, 52, 60]
<i>Pueraria tuberosa</i> Roxb. (Fabaceae)	Dari gummadi	cough	Roots	N T	[13, 34, 48, 53, 54, 57]
<i>Quisqualis indica</i> L. (Combretaceae)	Tiga ganneru	Helmintheasis	Seeds	N A	[56]
<i>Rauvolfia serpentina</i> (L.) Benth. Ex Kurz. (Apocynaceae)	Patalgaruda, pathalagandhi, sarpagandhi	Heart problems, high blood pressure, antidote for snake bite	Roots, root bark,	C E	[13, 34, 48, 53, 54, 57, 58]
<i>Rauvolfia tetraphylla</i> L. (Apocynaceae)	Papitaku,	High blood pressure, antidote for snake bite and scorpion sting, stomach ache	Roots	N A	[52, 58]
<i>Rhynchosia beddomei</i> Baker (Fabaceae)	Adavi kandhi	Abortifacient	Leaves	N A	[12]

Table. 16. Floristic, ethnomedicinal and threat status of Medicinal Plants in the Eastern Ghats of Andhra Pradesh

Plant Name	Local name	Ethnomedicinal use	Parts used	T S*	Ref.
<i>Rivea hypocrateriformis</i> (Desr.) Choisy (Convolvulaceae)	Bodditheega	Diarrhoea, Rheumatoid arthritis	Whole plant	N A	[48, 58]
<i>Rubia cordifolia</i> L. (Rubiaceae)	Khuamadu	Stomach ache	Roots	C E	[53]
<i>Rungia pectinata</i> (L.) Nees (Acanthaceae)		Cooling effect, small pox	leaves	N A	[13, 34, 48, 53, 54, 57]
<i>Santalum album</i> L. (Santalaceae)	Siri gandhamu	Skin diseases, gonorrhoea	Roots, stem bark	E N	[13, 34, 50, 53, 54, 57]
<i>Sapindus emarginatus</i> Vahl. (Sapindaceae)	Kunkudu	Centipede bite, asthma, paralysis	Endosperm, fruits	L R	[13, 34, 53, 54, 56, 57, 59]
<i>Saraca asoca</i> (Roxb.) de Wilde. (Caesalpiniaceae)	Asoka chettu	Syphilis	Flowers	E N	[13, 34, 53, 54, 57, 58]
<i>Sarcostemma acidum</i> (Roxb.) Voigt. (Asclepiadaceae)	Gundupala teega	Cooling effect, emetic, ear pain, antidote for mad dog bite	Whole plant, stem	N A	[48, 60]
<i>Schleichera oleosa</i> (Lour.) Oken. (Sapindaceae)	Pusugu	Blood purification, antidote for snake bite	Stem bark, root bark	N A	[48, 58]
<i>Semecarpus anacardium</i> L. (Anacardiaceae)	Nalla jeddi	Cuts, leprosy, nervous disorders	Pericarp, gum	N A	[48, 56]
<i>Setaria italica</i> L. (Poaceae)	Korallu	Cooling effect	leaves	N A	[48, 52]
<i>Shorea tumbuggaia</i> Roxb. (Dipterocarpaceae)	Thamba Jalari, guggilamu	Ear pain	Leaf juice	E N	[12, 13, 34, 53, 54, 57]

Table. 17. Floristic, ethnomedicinal and threat status of Medicinal Plants in the Eastern Ghats of Andhra Pradesh

Plant Name	Local name	Ethnomedicinal use	Parts used	T S*	Ref.
<i>Sida cordata</i> (Burm.f.) Borssum. (Malvaceae)	Gayapaaku	Diarrhoea, dysentery, paralysis	Whole plant, stem bark, roots	N A	[48]
<i>Sida cordifolia</i> L. (Malvaceae)	Tella antisa	Dysentery, dysmenorrhoea, gonorrhoea, ulcers , testis hydrocele , paralysis	Gum, seeds, seeds, leaves	N A	[48, 51, 52]
<i>Smilax zeylanica</i> L. (Smilacaceae)	Konda guriva teega	Sperm production	Root tuber	V U	[13, 34, 48, 53, 54, 57]
<i>Solanum surttense</i> Burm.f. (Solanaceae)	Verumulaka	Jaundice	Root bark	N A	[58]
<i>Solanum trilobatum</i> L. (Solanaceae)	Tella vuste, mundalmuste	Chronic bronchitis	Whole plant	N A	[48]
<i>Soymida febrifuga</i> (Roxb.) A. Juss. (Meliaceae)	Somati	Diarrhoea, dysentery, indigestion and stomach problems	Flowers, leaves, stem bark	N A	[48, 52]
<i>Stemonota tuberosa</i> Lour. (Stemonaceae)	Konda Tamara	Gynaecological problems	Tubers	V U	[13, 34, 53, 54, 57]
<i>Streblus aspera</i> Lour. (Moraceae)	Barinki	Lactation, pyorrhoea , dysentery, diarrhoea and malaria, eczema	Leaves, twigs, stem bark	N A	[48, 52, 56, 60]
<i>Strychnos nux-vomica</i> L. (Loganiaceae)	Mushidi, musti	Diabetes, dysentery	Wood, stem bark	N A	[48, 58]

Table. 18. Floristic, ethnomedicinal and threat status of Medicinal Plants in the Eastern Ghats of Andhra Pradesh

Plant Name	Local name	Ethnomedicinal use	Parts used	T S*	Ref.
<i>Strychnos potatorum</i> L.f. (Loganiaceae)	Chilla ginjalu, indipikkalu	High blood pressure, antidote for scorpion sting and snake bite, asthma	Seeds, root bark	N A	[48, 51, 52, 59]
<i>Syzygium alternifolium</i> (Wight) Walp. (Myrtaceae)	Thamba Jalari, Mogi	Diabetes, dry cough	Fruits, leaves	E N	[12, 13, 34, 53, 54, 57]
<i>Tabernaemontana divaricata</i> L. (Apocynaceae)	Nandivardanamu	Tooth ache, skin diseases	Roots, flowers	N A	[48]
<i>Tacca lentopetaloides</i> L. (Taccaceae)	Dhoi, pedda kandha gadda, kanda	Body Pains	Tubers, leaves	N T	[13, 34, 53, 54, 57]
<i>Tamarindus indica</i> L. (Caesalpiniaceae)	Chinta chettu	Burns, laxative, abortifacient	Seeds, fruit pulp, leaves	N A	[48, 51, 56]
<i>Tephrosia purpurea</i> (L.) Pers. (Fabaceae)	Vempali	Joint pains, diarrhoea, rheumatism and asthma	Roots	N A	[48, 56]
<i>Tephrosia villosa</i> (L.) Pers. (Fabaceae)	Nugu vempali	Dysentery, health tonic	Whole plant, roots	N A	[48, 52]
<i>Teramnus labialis</i> (L.f.) Spr. (Fabaceae)	Masha parni	Nervous disorder	Pods	N A	[48]
<i>Terminalia arjuna</i> (DC.) Wt. & Arn. (Combretaceae)	Tellamaddi	Diabetes, bone fractures	Stem bark	L R	[13, 34, 52, 53, 57, 58]

MEDICINAL PLANTS IN THE EASTERN GHATS OF ANDHRA PRADESH, INDIA

<i>Terminalia chebula</i> L. (Combretaceae)	Karakkaya	Bronchitis, dysopia, throat infection, tuberculosis	Fruit, rhizome, fruits	N A	[48, 52]
<i>Terminalia pallida</i> Brandis (Combretaceae)	Tella Karakkaya	Dysentary, piles	Fruits	E N	[12, 13, 34, 53, 54, 57]

Table. 19. Floristic, ethnomedicinal and threat status of Medicinal Plants in the Eastern Ghats of Andhra Pradesh

Plant Name	Local name	Ethnomedicinal use	Parts used	TS*	Ref.
<i>Thespesia lampas</i> (Cv.) Dalz & Gibbs (Malvaceae)	Adavi benda	tuberculosis	Roots, seeds	NA	[48, 58]
<i>Tinospora cordifolia</i> Miers (Tiliaceae)	Thippateega, jevanica	Jaundice, chronic fever, antidote for snake bite, high blood pressure, jaundice, diarrhoea and dysentery	Stem, roots, leaves	NA	[49, 50, 52]
<i>Toddalia asiatica</i> (L.) Lam. (Rutaceae)	Konda kaasinha	Dysentery, antidote for mad dog bite	Stem bark, root bark	NA	[48, 58]
<i>Torenia indica</i> Saldanha (Scrophulariaceae)	Chinna mogakura	Ear pain	Leaves	NA	[12, 53]
<i>Trianthema portulacastrum</i> L. (Aizoaceae)	Ambati maanu, yerra galijeru	Kidney stones	Leaves	NA	[48]
<i>Tribulus terrestris</i> L. (Zygophyllaceae)	Palleru	Urinary disorders	Whole plant	NA	[58]
<i>Tylophora indica</i> (Burm. t.) Merr. (Asclepiadaceae)	Verripala, mekameyani aaku	Diarrhoea, dysentery, asthma	Roots	NA	[48, 56]
<i>Urena lobata</i> L. (Malvaceae)	Pedda benda	Cuts, dandruff, diuretic	Leaves, roots	NA	[48, 56]
<i>Urginea indica</i> (Roxb.) Kanth. (Liliaceae)	Adavi vulli	Diuretic, leucorrhoea	Bulb	NA	[52]
<i>Vanda tessellata</i> (Roxb.) Hook. f. ex. G. Don. (Orchidaceae)	Saga, badanika	Fractures, skin diseases	Aerial roots, leaves	NA	[48, 51, 52]
<i>Vernonia cinerea</i> (L.) Less. (Asteraceae)	Sahadevi, garitikamma	malaria	Leaves, roots	NA	[48, 58]
<i>Viscum articulatum</i> Bunn. Fl. (Loranthaceae)	Kaada badanika	Fractures, joint pains	Stem	NA	[48]

Table. 20. Floristic, ethnomedicinal and threat status of Medicinal Plants in the Eastern Ghats of Andhra Pradesh

Plant Name	Local name	Ethnomedicinal use	Parts used	T S*	Ref.
<i>Vitex negundo</i> L. (Verbenaceae)	Vavilli, nallivavioli	Rheumatic pains, epilepsy, paralysis	Leaves	N A	[48] [52, 58]
<i>Vetiveria zizanioides</i> L. (Poaceae)	Vattiveru	Allergy	Roots	N A	[58]
<i>Waltheria americana</i> L. (Malvaceae)	Nalla benda	Ulcers, intestinal haemorrhages hemorrhages	Whole plant	N A	[48, 56]
<i>Wattakaka volubilis</i> (L.f.) Stapf (Asclepiadaceae)	Diddipala, pedda gurja	Cold, eye diseases, antidote for snake bite	Leaves, whole plant, roots	N A	[48, 49, 58]
<i>Woodfordia fruticosa</i> (L.) Kurz. (Lythraceae)	Jaji	Diarrhoea, menorrhoea	Stem bark, flowers	N A	[48, 56]
<i>Wrightia arborea</i> (Dennst.) Mabberly (Apocynaceae)	Adavi ankudu	Tooth ache, antidote for snake bite	Leaves, root bark	N A	[48, 58]
<i>Wrightia tinctoria</i> (Roxb.) R. Br. (Apocynaceae)	Doddipala, palvareni	Purgative, rheumatism, piles, mouth ulcers	Root bark, leaves, stem bark, latex	N A	[51, 52]
<i>Xanthium indicum</i> Koenig in Roxb. (Asteraceae)	shankeswari	Boils, ulcers, diabetes	Roots	N A	[48, 49]
<i>Ximenia americana</i> L. (Olacaceae)	Billa	Tooth ache	Roots	N A	[48]
<i>Xylia xylocarpa</i> Roxb. (Mimosae)	Konda tangedu	Gonorrhoea	Root bark	N A	[48]
<i>Zanthoxylum rhesta</i> (Roxb.) DC. (Rutaceae)	Racha	Dysentery	Flowers	E N	[13, 34, 53, 54, 57]
<i>Zingiber roseum</i> Roxb. (Zingiberaceae)	Rajula gadda, adavi allamu	Skin diseases, stimulant, rheumatoid arthritis	rhizome	E N	[13, 34, 48, 53, 54, 57, 58]
<i>Ziziphus oenoplia</i> (L.) Mill. (Rhamnaceae)	Parimi	Herpes	Roots	N A	[48, 58]
<i>Ziziphus zylopyrus</i> (Retz.) Willd. (Rhamnaceae)	Gottichettu	Pimples, boils, cholera	Leaves, stem bark	N A	[51, 52]

Threat Status (TS*) : CE (Critically Endangered); EN (Endangered); NT (Near Threatened); VU (Vulnerable)